


240/218-6D-1



COMPONENT CODE

ALR	ALARM RELAY	IBC	INDOOR BLOWER CAPACITOR	T	TRANSFORMER
COMP	COMPRESSOR	IBR	INDOOR BLOWER RELAY	TB	TERMINAL BLOCK
CB	CIRCUIT BREAKER	LAC	LOW AMBIENT CONTROL	TCC	TERMINAL CUTOFF
CC	COMPRESSOR CONTROL	LPC	LOW PRESSURE CONTROL	TDR	TIME DELAY RELAY
CCM	COMPRESSOR CONTROL MIDDLE	LS	LIMIT SWITCH		
DCC	DUAL CAN CAPACITOR	ODT	OUTDOOR THERMOSTAT		
GND	GROUND	OFM	OUTDOOR FAN MOTOR		
HS	HEAT STRIP	PL1	PLUG, 9 PIN		
HPC	HIGH PRESSURE CONTROL	PL2	PLUG, 2 PIN		

COLOR CODE


BK	BLACK	6	GREEN
BR	BROWN	BL	BLUE
R	RED	PR	PURPLE
O	ORANGE	GY	GRAY
Y	YELLOW	PK	PINK

USE CLASS 1 WIRING FOR ALL CONNECTIONS TO THE LOW VOLTAGE TERMINAL BLOCK

HIGH VOLTAGE	LOW VOLTAGE	ACCESSORY
FACTORY STD.	FIELD	OPTIONAL

ALARM RELAY CONTACT RATINGS 125VA @ 24VAC

4	10	120 C
---	----	-------



COMPONENT CODE

ALR	ALARM RELAY	IBR	INDOOR BLOWER RELAY
COMP	COMPRESSOR	LAC	INDOOR BLOWER CAPACITOR
CB	CIRCUIT BREAKER	LPC	LOW AMBIENT CONTROL
CC	COMPRESSOR CONTACTOR	LS	LOW PRESSURE CONTROL
CCM	COMPRESSOR CONTROL MODULE	LPT	LIMIT SWITCH
DCC	COMPRESSOR CONTROL	LST	OUTDOOR THERMOSTAT
DN	DUAL CAN CAPACITOR	DT	OUTDOOR FAN MOTOR
HI	HEAT STRIP	PL1	PLUG, 9 PIN
HPC	HIGH PRESSURE CONTROL	PL2	PLUG, 2 PIN

COLOR CODE

BK	BLACK	G	GREEN
BR	BROWN	BL	BLUE
R	RED	PR	PURPLE
O	ORANGE	GY	GRAY
Y	YELLOW	PK	PINK

ALARM RELAY CONTACT RATINGS

1	2	3	4	5	6	7	8	9
FACTORY	FACTORY	FACTORY	FACTORY	FACTORY	FACTORY	FACTORY	FACTORY	FACTORY
STO.	STO.	STO.	STO.	STO.	STO.	STO.	STO.	STO.
FIELD	FIELD	FIELD	FIELD	FIELD	FIELD	FIELD	FIELD	FIELD
OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL	OPTIONAL

4104-120 B

